







You need simplified, quick, and accurate 3D scanning? The Go!SCAN 3D scanners were designed with you in mind. Through a very efficient process, these self-positioning systems can be used by anyone without requiring any prior experience or background, and provide visual guidance as you are scanning. Their innovative technology bypasses preparation steps and specific setups, provides a very fast measurement rate, and does not require manual data post-processing.

Highly versatile, they can be used for a wide range of applications, helping professionals throughout the entire product development process.

EASY. FAST. RELIABLE. INTRODUCING THE GO!SCAN 3D SCANNERS.

### **CREAFORM 3D SCANNERS**ACCURACY. PORTABILITY. SIMPLICITY.



GO!O



The easiest 3D scanning experience, generating fast and reliable measurements.

HANDY SCAN ED



The truly portable metrology-grade 3D scanners delivering highly accurate measurements.

METRA SCAR3D



The most accurate scanning and probing solutions, whether in a lab or on the shop floor.



### **THE GO!SCAN 3D SCANNERS**: YOUR BEST ALLY AT ALL STAGES OF YOUR PRODUCT LIFECYCLE MANAGEMENT

Concept

Design

## Servici

Manufacturing

Requirements and specifications Concept design Concept prototyping

- Competitive product analysis
- Measurement of product environment or connecting/Surrounding parts
- Measurement of existing parts for aftermarket or custom equipment
- Clay model measurement/Reverse engineering
- Models and mock-ups measurement/Reverse engineering
- Styling and aesthetics
- Integration of prototype modifications into CAD file
- Form study, proof-of-concept prototypes


Testing, simulation and analysis

- Ergonomy prototypes

# CAD design

- 3D scan-to-CAD
- Reverse engineering (extracting design-intent)
- Packaging design





- Rapid prototyping/Manufacturing
- Integration of prototype modifications into CAD file
- Prototype inspection
- Finite element analysis (FEA)
- Interference analysis
- Deformation, geometry analysis

Tooling design




- Reverse engineering of dies, molds, fixtures, jigs and patterns
- Update of CAD file to reflect as-built tooling measurements
- Tooling validation/Inspection

#### Assembly/Production



- Virtual assembly
- Tool/Robot path programming
- Part assessment before machining

#### Quality control



- First article inspection (FAI)
- Part-to-CAD inspection
- Supplier quality inspection

Documentation



- As-built documentation of parts/Tooling
- Marketing presentations, 3D training systems, serious gaming
- Digital archiving

### Maintenance, repair and overhaul (MRO)




- Wear and tear analysis
- Custom repairs/Modification
- As-built documentation of parts/Tooling before maintenance

### Replacement/Recycling



- Reverse engineering for developing replacement/Restoration parts
- Planning of complex assemblies disassembly/Dismantling

### OTHER APPLICATIONS





The Go!SCAN 3D scanner comes with VXelements, a fully integrated 3D software platform that powers our entire fleet of 3D scanning and measurement technologies. It gathers all the essential elements and tools into a user-friendly, simplified and sleek working environment. Its real-time visualization provides a simple, enjoyable scanning experience.

An optimized scan file is automatically created and available upon completion of the data acquisition step, which contributes to greatly shorten your part inspection or design process.

- User-friendly interface: VXelements was designed to simplify the whole scanning process to its essential core, through a powerful and simple process;
- Surface optimization algorithm: avoids the creation of multiple scan layers and ensures a more accurate mesh without any post-treatment;
- Direct mesh output: an optimized mesh can be exported in all standard formats, right as you complete acquisition. No complicated alignment or point cloud processing needed;
- No limitation to the scan resolution: you simply need to input a resolution value, independent from the size of the scanned object. Resolution can be changed at any time before/after the scan:
- Real-time visualization: the user can view the 3D surface as the object is being scanned:
- Scan results enhancement: hole filling, smart decimation, boundary filters, etc.


### EXTEND THE POWER OF YOUR GO!SCAN 3D SCANNER

### VXmodel™: Scan-to-CAD software module

VXmodel is a post-treatment software that directly integrates into VXelements and seamlessly allows to finalize 3D scan data for use directly in any CAD or 3D printing software. VXmodel provides the simplest and fastest path from 3D scans to your CAD or additive manufacturing workflow.



VXremote improves your efficiency in the field by providing fast and easy remote access to VXelements. It offers quick activation and set-up and requires no hardware or server to install or maintain. You can have all its data acquisition functionalities at your fingertips... Available only with the Creaform Certified Rugged Tablet!





### INCLUDED

- Carrying case
- Calibration plate

**ACCESSORIES** 

- Power supply
- Custom USB cable
- 2 x 500 positioning targets
- 1-year warranty on parts and labor

#### **OPTIONAL**

- Certified laptop computer
- 3D scanner external battery
- Rugged tablet with VXremote
- Manual turntable



### CREAFORM CUSTOMER SERVICE

When you purchase a Creaform 3D measurement solution, you can rely on the CreaCare™ customer service program. We find it important to help you simplify your work, increase your efficiency and make the most out of your Creaform device.

You want to make sure to start things right? For a small fee, you can ask that a qualified expert comes over to your business place to help you get started with your system, and to train your staff on your specific applications.

Of course, we offer you readily available, multilingual technical support on all continents, ensured by knowledgeable, proactive and committed product specialists.

To protect your investment further and keep you on the technological edge, you can also subscribe to a CreaCare Maintenance Plan, offered in various protection packages. Depending on the package selected, you could get instant downloading access to each new release of our proprietary data acquisition software or get a free loaner unit while your device gets serviced, for instance.

# CREAFORM METROLOGY AND 3D ENGINEERING SERVICES

Convinced of the quality and possibilities of the Creaform technologies, but not quite yet ready to commit and buy? Know that Creaform offers a wide range of metrology and 3D engineering services. Our experts have earned a worldwide reputation for effectiveness and professionalism. Whether you need their help to perform 3D scanning, quality control, reverse engineering, FEA/CFD simulations, product and tool development or training services, you can count on their commitment to meet your requirements with responsiveness and adaptability.





### Go!SCAN 20™

### Go!SCAN 50™

	GUISCAN ZU	GUISCAN SU
WEIGHT	930 g (2.05 lbs.)	950 g (2.1 lbs.)
DIMENSIONS	154 x 178 x 235 mm (6 x 7 x 9.2 in.)	150 x 171 x 251 mm (5.9 x 6.7 x 9.9 in.)
MEASUREMENT RATE	550,000 measures /sec.	
SCANNING AREA	143 x 108 mm (5.6 x 4.3 in)	380 x 380 mm (15 x 15 in.)
LIGHT SOURCE	White light (LED)	
RESOLUTION	0.100 mm (0.004 in.)	0.500 mm (0.020 in.)
ACCURACY	Up to 0.100 mm (0.004 in.)	
VOLUMETRIC ACCURACY*	0.300 mm/m (0.0036 in./ft)	
POSITIONING METHODS	Geometry and/or color and/or targets	
STAND-OFF DISTANCE	380 mm (15 in.)	400 mm (15.75 in.)
DEPTH-OF-FIELD	100mm (4 in.)	250 mm (10 in.)
PART SIZE RANGE (RECOMMENDED)	0.05 - 0.5 m (2 - 20 in.)	0.3 - 3.0 m (1 - 10 ft)
TEXTURE RESOLUTION	50 to 250 DPI	50 to 150 DPI
TEXTURE COLORS	24 bits	
SOFTWARE	VXelements	
OUTPUT FORMATS	.dae, .fbx, .ma, .obj, .ply, .stl, .txt, .wrl, .x3d, .x3dz, .zpr	
COMPATIBLE SOFTWARE	3D Systems (Geomagic® Solutions), InnovMetric Software (PolyWorks), Dassault Systèmes (CATIA V5 and SolidWorks), PTC (Pro/ENGINEER), Siemens (NX and Solid Edge), Autodesk (Inventor, Alias, 3ds Max, Maya, Softimage).	
CONNECTION STANDARD	1 x USB 2.0	
OPERATING TEMPERATURE RANGE	15-40 °C (59-104 °F)	
OPERATING HUMIDITY RANGE (NON-CONDENSING)	10-90%	

<sup>\*</sup>With positioning targets or with an object presenting adequate geometry/color texture for positioning.



Creaform inc. (Head Office)
5825, rue St-Georges
Lévis, Québec, Canada G6V 4L2
Tel.: 1.418.833.4446 | Fax: 1.418.833.9588
info@creaform3d.com | www.creaform3d.com



**Authorized Distributor**